

DAFTAR PUSTAKA

- Adriansyah, A, M. Arri, M. Hamawi, dan A. Ikhwan. 2015. Uji metabolit sekunder *Trichoderma* sp. sebagai antimikrobia patogen tanaman *Pseudomonas solanacearum* secara *In Vitro*. *Gontor Agotech Science Journal*. 2(1): 19-30.
- Agrios, G.N. 2005. *Plant Pathology*. Ed ke 5. Elseiver Academic Press, Burlington. Hal: 324-411.
- Aljarah N.S. 2017. The Activity of *Metarhizium* sp. to control *Pythium aphanidermatum* causal agensiat of cucumber damping off under geenhouse conditions. *International Journal of Science and Research*. 6 (8):1098-1102.
- Amaria, W, R. Harni, dan Samsudin. 2015. Evaluasi jamur antagonis dalam menghambat pertumbuhan *Rigidoporus micropurus* penyebab penyakit jamur akar putih pada tanaman karet. *J. TIDP*. 2 (1): 51-60.
- Andrie, K.L, M. Napitupulu, dan N. Jannah. 2015. Respon tanaman mentimun (*Cucumis sativus* L.) terhadap jenis POC dan konsentrasi yang berbeda”. *J. Agifor*. 14(1): 15-26.
- Askary H, N. Benhamou and J. Brodeur. 1997. Ultrastructural and cytochemical investigations of the antagonistic effect of *Verticillium lecanii* on cucumber powdery mildew. *Phytopathology*. 87: 359-368.
- Aziz, B. I. 2015. Aplikasi Dua Isolat *Trichoderma harzianum* untuk Mengendalikan Layu Bakteri Pada Tanaman Kentang. *Skripsi*. Fakultas Pertanian. Universitas Jenderal Soedirman Purwokerto. Hal: 67.
- BPS. 2017. Tanaman Hortikultura: Tabel Hasil Produksi Tanaman Ketimun Indonesia. <https://www.bps.go.id/site/resultTab> diakses pada tanggal 10 Juni 2018.
- Benhamou, N and J. Brodeur. 2001. Pre-inoculation of Ri T-DNA transformed cucumber roots with the mikoparasit, *Verticillium lecanii*, induces host defense reactions against *Pythium ultimum* infection. *Physiological and Molecular Plant Pathology*. 58 (3): 3-10.
- Blomquist G. J, D. R Nelson, M. Renobales. 1987. Chemistry, biochemistry and physiology of insect cuticular lipids. *Arch Insect Biochem Physiol*. 6: 227–265.

- Brahmachari G. 2015. Bioactive Natural Products: Chemistry and Biology. Wiley-VCH, Weinheim. Hal: 286.
- Brodeur, J. 2012. Host specificity in biological control: Insights from opportunistic pathogens. Hal: 470-480. (on-line) https://www.researchgate.net/publication/230798790_Host_specificity_in_biological_control_Insights_from_opportunistic_pathogens. diakses pada 3 Mei 2019.
- Cahyono, B. 2003. *Timun*. Aneka Ilmu, Semarang. Hal. 3-27.
- Cremlyn, R. 1978. Pesticides Preparation and mode of action. Brisbane. <https://www.abebooks.com/Pesticides-Preparation-Mode-Action-Cremlyn-R/255526282/bd>. diakses pada 4 Mei 2019.
- Dorrance A. E, S. A. Berry, P. Bowen, P. E. Lipps. 2004. Characterization of *Pythium* spp. from three ohio fields for pathogenicity on corn and soybean and metalaxyl sensitivity. <https://www.plantmanagementnetwork.org/pub/php/research/2004/pythium/>. (On-line) diakses tanggal 15 Januari 2019.
- Fety, K dan Mukarlina. 2015. Uji antagonis jamur rizosfer isolat lokal terhadap *Phytophthora* sp. yang diisolasi dari batang langsung (*Lansium domesticum* Corr.). *Protobiont*. 4 (1): 218-225.
- Fravel, D.R.1988. Role of antibiosis in the biocontrol of plantdiseases. *Annu Rev Phytopathol*. 26: 75–91.
- Goettel, M.S, M. Koike, J.J Kim, Daigo, S. Ryoji, and J. Brodeur. 2008. Potential of *Lecanicillium* sp. for management of insects, nematodes and plant diseases. *Journal of Invertebrate Pathology* 98 (3): 225-234.
- Gupta. P, M. S. Paul, and S. N. Sharma. 1999. Studies on compatibility of white muscardine fungus *Beauveria bassiana* with some neem products. *Ind Phytopathol*. 52(3): 278-280.
- Hanudin, A. 2013. Komposisi formula biobakterisida berbahan aktif rizobacteri untuk pengendalian penyakit busuk lunak pada anggrek. *J. Hort* 23(3): 224-254.
- Hendra. 2009. Optimasi kompos bioaktif dengan penambahan asam humat dan asam fulvat untuk meningkatkan ketahanan tanaman mentimun terhadap serangan *Pythium* sp. penyebab Ppenyakit rebah kecambah. *Skripsi*. Departemen Proteksi Tanaman Fakultas Pertanian Institut Pertanian Bogor.

- Hung R, S. Lee, J. W. Bennett. 2015. Fungal volatile organic compounds and their role in ecosystems. *Appl Microbiol Biotechnol*. 99 (8): 3395-3405.
- Imdad, N. 1999. *Sayuran Jepang*. Penebar Swadaya, Jakarta.
- Inglis, G.D, Goettel, M.S, Butt, T.M, and H. Strasser. 2001. Use of Hyphomycetous Fungi for Managing Insect Pests. *CAB International*. 6: 23-69.
- Jaber, L. R dan J. Enkerli. 2017. Fungal entomopathogens as endophytes: can they promote plant growth?. *Journal Biocontrol Science and Technology*.(On-line).
- Jallow M. F. A, Dugassa, S. Vidal. 2008. Influence of an endophytic fungus on host plant selection by a polyphagous moth via volatile spectrum changes. *Arthropod-Plant Interact*. 2: 53–62.
- Kabaluk J. T, J. T. Ericsson. 2007 *Metarhizium anisopliae* seed treatment increases yield of field corn when applied for wireworm control. *Agron J*. 99: 1377–1381
- Kang B.R, J.H. Han, J.J. Kim, and Y.C. Kim. 2018. Dual biocontrol potential of the entomopathogenic fungus, *Isaria javanica*, for both aphids and plant fungal pathogens. (on-line) <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6319460/>. diakses pada 3 Mei 2019
- Kartikasari, O. 2016. Respon tiga varietas tanaman mentimun (*Cucumis sativus* L.) terhadap aplikasi zat pengatur tumbuh Gibberlin (GA 3). *J. produksi Tanaman*. 4 (6): 425-430.
- Lipa. D, T. Rajesha, R.K. Tombisanaa and D. Majumdera .2017. Antagonistic potential of *Beauveria* sp. against phytopathogens. *Bulletin of Environment, Pharmacology and Life Sciences* Vol 6 (3): 207-212.
- Litbang. 2012. Budidaya Timun Dalam Pot. Litbang. 2012. Budidaya Timun Dalam Pot. <https://jambi.litbang.pertanian.go.id/ind/images/PDF/12timun.pdf>. (On-line) diakses tanggal 15 Januari 2019.
- Margy, A.E, M. Alzimiro, M.C Castilho, and M. E Fraga. 2017. Classification and infection mechanism of entomopathogenic fungi. *Agricultural Microbiology*. 8: 41-10.
- Neogen, Corporation. 2011. Potato Dextrose Agar Acumedium, A subsidiary of neogen corporation P17149 Rev 4, hal: 1-2. (On-line).

http://www.neogen.com/Acumedium/pdf/ProdInfo/7149_PL.pdf diakses pada 3 September 2018.

- Ningsih, H, U.S. Hastutu, dan D. Listyorini. 2016. Kajian Antagonis *Trichoderma* sp. Terhadap Penyakit Layu Pada Daun Cabai Rawit (*Capsicum frutescens*) Secara *In Vitro*. *Proceeding Biology Education Conference*. 13(1): 814-817.
- Oller-Lopez, J.L, M. Iranzo, S. Mormeneo, E. Oliver, J. M. Cuerva, and J. E. Oltra. 200. Bassianolone: an antimicrobial precursor of cephalosporolides E and F from the entomoparasitic fungus *Beauveria bassiana*. *Org Biomol Chem*. 3: 1172–1173.
- Ownley B.H, Marry. R.G, William. E.K, Kimberly. D.G, Kevin. M, and Roberto. M.P. 2008. *Beauveria bassiana*: endophytic colonization and plant disease control. *Journal of Invertebrate Pathology*. 98 (3): 267-270.
- Parine N. R, d. Kumar, A. A. Khan, dan V. Bobbarala. 2010. Antifungal efficacy of secondary metabolites from entomopathogenic fungi *Beauveria bassiana*. Hal 854-856. (on-line) https://www.researchgate.net/publication/235566737_Antifungal_Efficacy_of_Secondary_Metabolites_from_Entomopathogenic_Fungi_Beauveria_bassiana. Diakses 3 Mei 2019.
- Petlamul W, T. Sriporngam, N. Buakwan, S. Buakaew, and K. Mahamad. 2017. The capability of *Beauveria bassiana* for cellulase enzyme production. *Biochemistry and Bioinformatics*. Hal: 62-66.
- Plattner R.D, and P. F. Nelson. 1994. Production of beauverisin by a strain of *Fusarium proliferatum* isolated from corn fodder for swine. *Appl Environ Microbiol*. 60: 3894-3896.
- Pracoyo, A. 2013. Pengaruh Plant Growth Promoting Rhizobacteria (PGPR) dan pupuk mikro terhadap penyakit karat puru dan pertumbuhan tanaman sengon (*Paraserianthes falcataria*) di Lapangan. Skripsi, Departemen Proteksi Tanaman Fakultas Pertanian IPB. Bogor. <https://repository.ipb.ac.id/handle/123456789/63688>. Diakses 8 Mei 2019.
- Pusztahelyi T, J. H. Imre, and P. Istvan. 2015. Secondary metabolites in fungus-plant interactions. *Front Plant Sc*. 6: 573
- Rachmawati R, A. Rahabistara, dan A. Afandhi. 2016. Daya antagonis tiga jamur patogen serangga terhadap jamur patogen tular tanah *Fusarium* sp. (*hydrocreales: nectriaceae*) secara in vitro. *Jurnal HPT*. 4 (2): 93-101.

- Rosmayungingsih, A., B. T. Rahardjo, dan R. Rachmawati. 2014. Patogenitas jamur *Metarhizium anisopliae* terhadap hama kepinding tanah (*Stibaropus molginus*). *Jurnal HPT*. 2 (2): 28-37.
- Royse D.J and Ries S.M.1977. The influence of fungi isolated from peach twigs on the pathogenicity of Cytosporacinata. *Phytopathol*. 63: 603-607.
- Rukmana, R. 1994. *Budidaya Mentimun*. Kanisius, Yogyakarta. Hal:36.
- Sanivada S.K, and C. Muralimohan. 2014. Mycolytic effect of extracellular enzymes of entomopathogenic fungi to *Colletotrichum falcatum*, red rot pathogen of sugarcane. *Journal Biopest* (7): 33-37.
- Singh. D, S.Y. Son, and C.H. Lee. 2016. Perplexing metabolites in fungal-insects trophic interactions: a terra incognita of microbiokontrol mechanism. *Journal Front Microbiol*. 7: 1678.
- Soekarno, .P.W, Surono, dan Hendra. 2013. Optimumisasi peran kompos bioaktif dengan penambahan asam humat dan asam fulvat untuk meningkatkan ketahanan tanaman mentimun terhadap serangan *Phythium* sp. *J. Ilmu-Ilmu Hayati dan Fisik*. 15(1): 35-43.
- Soesanto, L., E. Mugiastuti, R.F. Rahayuniati, dan R.S. Dewi. 2013. Uji kesesuaian empat isolat *Trichoderma* sp. dan daya hambat *In Vitro* terhadap beberapa patogen tanaman. *J. HPT Tropika*. 13(2): 117-123.
- Suleiman, M.N, dan S.A. Emua. 2009. Efficacy of four plant extracts in the control of root rot. disease cowpea (*Vigna unguiculata* (L.) Walp). *Afr J Biotechnol*. 8(16): 3806–3808.
- Solikhah, N. A. 2018. Kajian tepung kedelai sebagai medium perbanyakan *Trichoderma harzianum* isolat jahe untuk mengendalikan penyakit rebah semai (*Pyhtium* sp.) pada tanaman mentimun. Skripsi. Fakultas pertanian Universitas Jenderal Soedirman. Purwokerto. Hal 10-15.
- Sujadmiko, H. 2012. Pengaruh kelembapan tanah terhadap laju infeksi jamur *Pythium* sp. dan *Rhizoctonia* sp. penyebab penyakit blas pada pembibitan *pre nursery* Kelapa Sawit (*Elaeis guineensis* Jacq). *J. Agium*. 17(2): 95-102.
- Suleiman, M.N, dan S.A. Emua. 2009. Efficacy of four plant extracts in the control of root rot. disease cowpea (*Vigna unguiculata* (L.) Walp). *Afr J Biotechnol*. 8(16): 3806–3808.
- Sumpena, U. 2001. *Budidaya Mentimun Intensif*. Penebar Swadaya, Jakarta. Hal: 1-46.

- Thomashow, L.S., R.F. Bonsall dan D.M. Weller. 2002. Antibiotic Production By Microbial Soils and Rhizosphere In Cycles. Washington DC. Hal: 638-647.
- Tovar, M.D.L., A. Ortiz-Urquiza, I. G. Jurado, A. Traperro Casas, and E. Quesada-Moraga. 2013. Assessment of entomopathogenic fungi and their extract against a soil-dwelling pest and soil-borne pathogens of olive. *Biological Control* 67: 409-420.
- William, J. 2001. *simple field fungi identification key*. University of Georgia College of Agriculture, Georgia. Hal: 2-11.
- Wink, M. 2003. Evolution of secondary metabolites from ecological and molecular phylogenetic perspectives. *Fitochemicals*. 64, 3-19.
- Wulandari, D. C. 2014. Pengaruh pemberian hormon giberelin terhadap pembentukan buah secara partenokarp pada tanaman mentimun varietas Mercy. *J Lentera Bio* 3(1):27-32.